

1. Identification of the preparation and the supplying Company	<b>KILLGERM WAX BAIT</b> Killgerm Chemicals Ltd, Denholme Drive, Ossett, West Yorkshire, WF5 9NA. Tel: +44 (0)1924 268450 Fax: (0)1924 265033 Email: <a href="mailto:technical@Killgerm.com">technical@Killgerm.com</a>												
2. Composition and information on ingredients	Hazardous Components in Product for EC <table border="1" data-bbox="472 321 1443 378"> <thead> <tr> <th>Component Name</th> <th>CAS No.</th> <th>Concentration</th> <th>R Phrases</th> </tr> </thead> <tbody> <tr> <td>Difenacoum Technical Material</td> <td>56073-07-5</td> <td>0.005%</td> <td>R26/27/28 R48/2</td> </tr> </tbody> </table> Classification T+-T R26/27/28 Very toxic by inhalation, in contact with skin and if swallowed. R48/25 Toxic: danger of serious damage to health by prolonged exposure if swallowed. T - Toxic. T+ - Very toxic.			Component Name	CAS No.	Concentration	R Phrases	Difenacoum Technical Material	56073-07-5	0.005%	R26/27/28 R48/2		
Component Name	CAS No.	Concentration	R Phrases										
Difenacoum Technical Material	56073-07-5	0.005%	R26/27/28 R48/2										
3. Hazard identification	<u>Main Hazards</u> Not classified as hazardous. Large quantities would need to be ingested to produce a toxic effect. Avoid all contact by mouth. Practically non-hazardous by skin contact.  This product contains difenacoum, an indirect anticoagulant. Any signs of poisoning are unlikely to occur until 12-18 hours after ingestion. Thereafter, they will develop progressively and may rapidly appear. Clinical signs result from an increased bleeding tendency and include: an increase in prothrombin time, bruising easily with occasional gum bleeding, blood in the stool or urine, excessive bleeding from minor cuts and abrasions, pale mouth and cold gums, anorexia and general weakness. More severe cases of poisoning include haemorrhage (usually internal) and shock. This product is hazardous to mammals including domesticated animals, and birds if ingested. Exposure of non-target animals should be prevented.												
4. First Aid measures	<table border="1" data-bbox="472 884 1443 1356"> <tr> <td>Ingestion:</td> <td>Wash out mouth with water. Do not induce vomiting. Obtain medical attention.</td> </tr> <tr> <td>Inhalation:</td> <td>Remove from exposure. Obtain medical advice if symptoms develop.</td> </tr> <tr> <td>Skin contact:</td> <td>Wash skin with soap and water.</td> </tr> <tr> <td>Eye contact:</td> <td>Wash out eye with plenty of water. Obtain medical advice if necessary.</td> </tr> <tr> <td>Advice to doctor:</td> <td>Difenacoum is an indirect anticoagulant. Vitamin K1 (phytomenadione) is antidotal. In the case of suspected poisoning, determine prothrombin time not less than 18 hours after consumption. If elevated, administer vitamin K1, 40mg/day for adults and 20mg/day for children in divided doses. Continue until prothrombin times normalise. Continue determination of prothrombin time for two weeks after withdrawal of the antidote and resume treatment if elevation occurs in that time. N.B. Vitamin K3 is not effective. For comprehensive medical advice on the treatment of poisoning, contact the nearest Poisons Information Centre.</td> </tr> </table>			Ingestion:	Wash out mouth with water. Do not induce vomiting. Obtain medical attention.	Inhalation:	Remove from exposure. Obtain medical advice if symptoms develop.	Skin contact:	Wash skin with soap and water.	Eye contact:	Wash out eye with plenty of water. Obtain medical advice if necessary.	Advice to doctor:	Difenacoum is an indirect anticoagulant. Vitamin K1 (phytomenadione) is antidotal. In the case of suspected poisoning, determine prothrombin time not less than 18 hours after consumption. If elevated, administer vitamin K1, 40mg/day for adults and 20mg/day for children in divided doses. Continue until prothrombin times normalise. Continue determination of prothrombin time for two weeks after withdrawal of the antidote and resume treatment if elevation occurs in that time. N.B. Vitamin K3 is not effective. For comprehensive medical advice on the treatment of poisoning, contact the nearest Poisons Information Centre.
Ingestion:	Wash out mouth with water. Do not induce vomiting. Obtain medical attention.												
Inhalation:	Remove from exposure. Obtain medical advice if symptoms develop.												
Skin contact:	Wash skin with soap and water.												
Eye contact:	Wash out eye with plenty of water. Obtain medical advice if necessary.												
Advice to doctor:	Difenacoum is an indirect anticoagulant. Vitamin K1 (phytomenadione) is antidotal. In the case of suspected poisoning, determine prothrombin time not less than 18 hours after consumption. If elevated, administer vitamin K1, 40mg/day for adults and 20mg/day for children in divided doses. Continue until prothrombin times normalise. Continue determination of prothrombin time for two weeks after withdrawal of the antidote and resume treatment if elevation occurs in that time. N.B. Vitamin K3 is not effective. For comprehensive medical advice on the treatment of poisoning, contact the nearest Poisons Information Centre.												
5. Fire-fighting measures	General Hazard Extinguishing Media  Protective Equipment for Fire-Fighting	This product is non-flammable, but is combustible. Use water spray, foam, dry chemical or carbon dioxide. Cool the smouldering material with water spray to minimise the possibility of re-ignition. Keep containers and surroundings cool with water spray. Wear self contained breathing apparatus.											

6.	<b>Spillages</b>	Any spillages should be cleared up immediately and disposed of safely. Wash contaminated surfaces with detergent solution.	
7.	<b>Handling and Storage</b>	Precautions in use:	The product must be used and stored only in accordance with the product label. Refer also to the section 'Exposure Controls/Personal Protection'. Avoid all contact by mouth. Wash hands and exposed skin before meals and after use. Empty container completely and dispose of safely.
		Storage and transport precautions:	Store in original container under cool and dry conditions in a secure, well ventilated place, inaccessible to children, and away from foodstuffs and animal feedstuffs. Store and transport away from products which may have an odour
8.	<b>Exposure controls and personal protection</b>	<b><u>PPE ITEM</u></b>	<b><u>IN USE</u></b>
		Gloves	Unlined/Flock lined, synthetic rubber/PVC to EN 374. (300mm in length) eg. Nitrile.
		Overall	Basic type eg. Heavy duty polycotton or coverall type 5/6.
		Goggles/ Faceshield	Goggles to EN 166 3459B.
9.	<b>Physical and chemical properties</b>	Physical State	A wax / paste bait.
		Colour	Green/Blue.
		Odour	No significant odour.
		Flammability	Not flammable.
		Solubility in water	Insoluble.
		Explosive Properties	None.
		Oxidising Properties	None.
10.	<b>Stability and Reactivity</b>	Stable under normal conditions.	
11.	<b>Toxicological information</b>	<b>Acute Toxicity</b>	Oral LD50 (rat) 36000mg/kg
		<b>Irritancy - Eyes</b>	Not an eye irritant
		<b>Irritancy - Skin</b>	Not a skin irritant
		<b>Skin Sensitisation</b>	No known reports of skin sensitisation
12.	<b>Ecological information</b>	This product is hazardous to mammals including domesticated animals, and birds if ingested. Exposure of non-target animals should be prevented.	
13.	<b>Disposal considerations</b>	Empty containers:- Unused/recovered from Spillage material Contaminated PPE	Empty completely. Dispose of as below. Do not dispose of in domestic refuse. Treat as "controlled" waste. Ask supplier for advice.
14.	<b>Transport information</b>	Not classified.	
15.	<b>Regulatory information</b>	FOR USE ONLY AS A RODENTICIDE Approved under The Control of Pesticides Regulations 1986 (as amended) for the control of mice. Indoors and outdoors by professional operator. Pesticide Control service number:- 01333  For the Statutory Conditions Relating to Use and Precautions please refer to the product label.	
16.	<b>Other information</b>	For use only as specified on the label. The information in this data sheet should be considered when undertaking a risk assessment under the COSHH regulations. A data sheet does not constitute a COSHH assessment. This product contains a warning dye.	