



SAFETY DATA SHEET

Page 1 of 4

Nylar 4 EW (HSE No.: 6373)

Revision No. 1

Issue date: 23 October 2003

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND THE COMPANY

Product name	Nylar 4 EW
Company	PelGar International Ltd Unit 13, Newman Lane Industrial Estate, Newman Lane, Alton, Hampshire GU34 2QR Tel +44 (0) 1420 80744 Fax +44 (0) 1420 80733
Product code	PGF263

2. COMPOSITION/INFORMATION ON INGREDIENTS

Hazardous components	Pyriproxyfen 1-10% 95737-68-1 N;R50/53 Solvent Naphtha (petroleum), Heavy aromatic 1-10% N;R51/53 Xn;R65 Propylene glycol 1-10% 57-55-6
-----------------------------	---

3. HAZARDS IDENTIFICATION

Main hazards	Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
---------------------	---

4. FIRST AID MEASURES

Skin contact	May cause skin irritation in susceptible persons. Remove contaminated clothing Wash off immediately with soap and plenty of water. If irritation persists obtain medical attention Contaminated clothing should be washed and dried before re-use
Eye contact	May cause eye irritation with susceptible persons. Rinse immediately with plenty of water for at least 15 minutes. If irritation persists obtain medical attention
Inhalation	Inhalation of mist or spray may cause irritation of the respiratory system. In the event of exposure to mist or spray, or solvent fumes Move to fresh air. Obtain medical advice immediately.
Ingestion	Do not induce vomiting. If conscious, wash out mouth with water and obtain medical attention. Show the container label or this safety data sheet to the doctor.
General advice	In the case of accident or if you feel unwell, seek medical advice immediately (show the label where possible).

5. FIRE-FIGHTING MEASURES

Suitable extinguishing media	Keep fire exposed containers cool by spraying with water if exposed to fire. Fight surrounding fire with alcohol resistant foam, dry powder, carbon dioxide or water as a fog.
Extinguishing media which must not be used for safety reasons	Do not use water jets
Specific hazards	The product has a flash point but does not support combustion. Avoid run off into watercourses, drains and sewers.

Nylar 4 EW

Revision No. 1

Issue date: 23 October 2003

Special protective equipment for firefighters In the event of fire, wear self-contained breathing apparatus, suitable gloves and boots.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions	Wear suitable protective clothing, gloves and eye/face protection. See section 8.
Environmental precautions	Contain or absorb leaking liquid with earth or sand. Do not allow material to contaminate ground water system. Do not flush into surface water or sanitary sewer system. Prevent further leakage or spillage if safe to do so.
Methods for cleaning up	Soak up with inert absorbent material. Transfer to a suitable labelled container. Subsequently, wash the spill area with water, taking care to prevent washings from entering surface water drains. Spillages or uncontrolled discharges into watercourses must be notified to the appropriate regulatory authority or the National River Authority

7. HANDLING AND STORAGE

Handling	If splashing is likely to occur wear approved eye protection. If spray mists are likely, wear a suitable approved respirator. If skin contact is likely to occur wear rubber gloves and suitable impervious protective clothing. Use in a well ventilated area where possible. Always use good personal hygiene procedures when handling chemicals. Do not smoke eat or drink while handling this product. Wash hands, face and exposed skin after using, and before eating, drinking or smoking. Read the label before use.
Storage	Keep container tightly closed. Keep in a dry, cool and well-ventilated place. Keep out of reach of children. Keep away from food and animal feedstuffs

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Exposure limit(s)	Solvent Naphtha (petroleum), Heavy aromatic TWA(ppm):25 (for trimethyl benzene) TWA(mg/m3):125 for (trimethyl benzene) Propylene glycol TWA(ppm):150 TWA(mg/m3):470
Respiratory protection	Suitable approved respirator if exposed to spray mists
Hand protection	Synthetic rubber or PVC gloves
Eye protection	If splashes are likely to occur, wear: goggles
Skin and body protection	Impervious clothing boots

9. PHYSICAL AND CHEMICAL PROPERTIES

Description	Liquid
Colour	White
Odour	Slightly aromatic
pH	6.5
Boiling point/range	100°C
Flash point	>between 22°C and 55°C
Explosive properties	Not applicable
Oxidizing properties	Not applicable
Vapour pressure	Not available
Relative density	1.01

Nylar 4 EW

Revision No. 1

Issue date: 23 October 2003

Water solubility Miscible with water

Partition coefficient (n-octanol/water) Not available

10. STABILITY AND REACTIVITY

Stability Stable under recommended storage conditions.

Conditions to avoid Heat, flames and sparks.

Materials to avoid Strong oxidising agents

Hazardous decomposition products Combustion or thermal decomposition will produce toxic and irritant fumes

11. TOXICOLOGICAL INFORMATION

Acute toxicity ORL RAT LD50 >10000mg/Kg
DERMAL RAT LD50>5000mg/Kg

Primary irritation May cause eye/skin irritation.

Sensitization Inhalation of aerosol or skin contact may cause sensitization of susceptible persons.

mutagenic effects Not available

carcinogenic effects Not available

12. ECOLOGICAL INFORMATION

Ecotoxicity Toxic to aquatic organisms may cause long-term adverse effects in the aquatic environment.

Further information: This product must not enter water discharge system. Inform appropriate authority if large spillage enters drains.

13. DISPOSAL CONSIDERATIONS

General Information Dispose of as special waste in compliance with local and national regulations

Contaminated packaging Dispose of as unused product.

14. TRANSPORT INFORMATION

ADR/RID

UN-No 3082

Class 9

Packing group III

Hazard ID 90

Proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
(contains alkyl (C3-C5) benzene and pyriproxyfen)

IMO

UN-No 3082

Class 9

EmS F-A S-F

Packing group III

Marine pollutant Yes

IATA-DGR

UN-No 3082

Class 9

Packing group III

packaging 914

15. REGULATORY INFORMATION

Symbol(s): N;



Nylar 4 EW

Revision No. 1

Issue date: 23 October 2003

R -phrase(s)	R10 - Flammable R51/53 - Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
S -phrase(s)	S60 - This material and its container must be disposed of as hazardous waste. S61 - Avoid release to the environment. Refer to special instructions/safety data sheets. To avoid risks to man and the environment, comply with the instructions for use.

16. OTHER INFORMATION

Text of R phrases mentioned in Section 2	R50/53 - Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment. R51/53 - Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment. R65 - Harmful: may cause lung damage if swallowed.
Sources of key data used to compile the datasheet	Raw material suppliers Safety Data Sheets. EH40 CHIP 2002 Insecticide for professional use only.
Replaces	Revision No.: 2004-I-03
Recommended restrictions	